



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant(s): Mauro et al.

Application No.: 10/003,915

Filed: May 30, 2003

For: CATAMENIAL DEVICE

Examiner: Catharine L. Anderson

Art Unit: 3761

Confirmation No.: 7768

Customer No.: 67,519

Attorney Docket: 460.2115USU

Mail Stop RCE  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT**

Dear Sir:

In accordance with applicant's duty of disclosure under 37 C.F.R. §1.56, we are enclosing form PTO-1449 listing information that may be material to the patentability of this application.

37 C.F.R. 1.98 does not require a copy of U.S. patents or published U.S. patent applications to be included with an information disclosure statement. Accordingly, Applicant is not including a copy of any U.S. patent or published U.S. patent application.

We are also enclosing copies of the non-US references listed on the attached PTO-1449.

It should be understood that attention has been called to the citations that have been deemed to be pertinent to the claimed present invention. In concluding what was pertinent, the criteria employed was considered most appropriate in light of the invention shown in the present application. However, the Examiner or others may deem some other criteria to be just as appropriate or more appropriate. Therefore, the Examiner is respectfully urged to review the listed citations and to make the usual careful independent search for other prior art that may be pertinent.

This Information Disclosure Statement is filed pursuant to 37 C.F.R. Section 1.97(b)(4), with the filing of a Request for Continued Examination (RCE), submitted herewith. Accordingly no petition or fee is required.

Applicant respectfully requests favorable consideration and that this application be passed to allowance.

Respectfully submitted,



Date: January 26, 2009

Edward L. McMahon  
Reg. No. 44,927  
Attorney for Applicant(s)  
Ohlandt, Greeley, Ruggiero & Perle, L.L.P.  
One Landmark Square, 10th Floor  
Stamford, CT 06901-2682  
(203) 327-4500